



TÜMOSAN
DÖKÜM

PRODUCTS



WEIGHT GROUP

BACK (BALLAST) WEIGHT



PRODUCT KG	35 KG
HARDNESS VALUE (HB)	Max.187
GERMANY DIN 1691	GG18
TENSILE STRENGTH N/mm²	180-210

BACK (BALLAST) WEIGHT



PRODUCT KG	50 KG
HARDNESS VALUE (HB)	Max.187
GERMANY DIN 1691	GG18
TENSILE STRENGTH N/mm²	180-210

FRONT BAG WEIGHT



PRODUCT KG	40 KG
HARDNESS VALUE (HB)	Max.187
GERMANY DIN 1691	GG18
TENSILE STRENGTH N/mm²	180-210

FRONT BAG WEIGHT



PRODUCT KG	25 KG
HARDNESS VALUE (HB)	Max.187
GERMANY DIN 1691	GG18
TENSILE STRENGTH N/mm²	180-210

FRONT BAG WEIGHT



PRODUCT KG	20 KG
HARDNESS VALUE (HB)	Max.187
GERMANY DIN 1691	GG18
TENSILE STRENGTH N/mm²	180-210

ENGINE GROUP

4-CYLINDER CRANKCASE



PRODUCT KG	54 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm²	250-350

3-CYLINDER CRANKCASE



PRODUCT KG	37 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm²	250-350

INDUSTRIAL CASING



PRODUCT KG	39,4 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm²	250-350

FLYWHEEL HOUSING 1



PRODUCT KG	33,2 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm²	250-350

FLYWHEEL HOUSING 2 WITH CORE



PRODUCT KG	30 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm²	250-350

INDUSTRIAL FLYWHEEL HOUSING



PRODUCT KG	32 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm²	250-350

CAP MAIN BEARING



PRODUCT KG	11,9 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm²	250-350

TRACTOR GROUP

GEAR CASE



PRODUCT KG	99 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm ²	250-350

T-980 AXLE BOX



PRODUCT KG	54,55 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm ²	250-350

T-780 REAR AXLE BOX



PRODUCT KG	47 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm ²	250-350

T-580 GARDEN-TYPE AXLE BOX




PRODUCT KG	37 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm²	250-350

SUPPORT - DT FRONT AXLE




PRODUCT KG	194 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm²	250-350

SUPPORT - N TYPE SUPPORT




PRODUCT KG	182 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm²	250-350

SUPPORT - FRONT AXLE GARDEN



PRODUCT KG	170 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/ mm ²	250-350

SUPPORT - NARROW GARDEN TRACTOR FRONT AXLE




PRODUCT KG	151 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/ mm ²	250-350

SUPPORT - FRONT WEIGHT



PRODUCT KG	84,6 KG
HARDNESS VALUE (HB)	170-210
GERMANY DIN 1691	GG20
TENSILE STRENGTH N/ mm ²	200-230

T-980 AXLE BOX CONNECTING PART




PRODUCT KG	27 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm²	250-350

T-780 AXLE BOX CONNECTING PART




PRODUCT KG	22 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm²	250-350

T-580 AXLE BOX CONNECTING PART



PRODUCT KG	17,32 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm²	250-350

BODY CONNECTING PART



PRODUCT KG	17,1 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/ mm²	250-350

PLANET GEAR



PRODUCT KG	12,47 KG
HARDNESS VALUE (HB)	200-250
GERMANY DIN 1691	GGG60
TENSILE STRENGTH N/ mm²	600-750

WHEEL HUB



PRODUCT KG	19,2 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/ mm²	250-350

T-780 PISTON BRAKE



PRODUCT KG	6,25 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm²	250-350

DRUM



PRODUCT KG	4,62 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm²	250-350

PTO BACK COVER



PRODUCT KG	12,4 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm²	250-350

PTO FRONT BALL BEARING SUPPORT




PRODUCT KG	6,24 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/ mm²	250-350

T-780 DROPBOX



PRODUCT KG	17,95 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/ mm²	250-350

3-CYLINDER BACK COVER



PRODUCT KG	39,3 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/ mm²	250-350

T-580 DROPBOX



PRODUCT KG	11,25 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm²	250-350

CLUTCH HOUSING (24-12)



PRODUCT KG	45,54 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/mm²	250-350

SENSITIVE SHANK




PRODUCT KG	13 KG
HARDNESS VALUE (HB)	156-217
GERMANY DIN 1691	GGG45
TENSILE STRENGTH N/mm²	450-550

THREADED COVER



PRODUCT KG	7,8 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/ mm²	250-350

SHIFT TOWER



PRODUCT KG	8 KG
HARDNESS VALUE (HB)	170-229
GERMANY DIN 1691	GG25
TENSILE STRENGTH N/ mm²	250-350

HOOD SUPPORT 1 - WITH CORE



PRODUCT KG	6,8 KG
HARDNESS VALUE (HB)	135-185
GERMANY DIN 1691	GGG40
TENSILE STRENGTH N/ mm²	400-550



TÜMOSAN
DÖKÜM

www.tumosandokum.com